



PLUG-EL-218


MEET STANDARD

PVC.PLUG EL.218 TYPE 2P+E;6.10A / 250V ACCORDING TO GB2099.1.1996

TYPE CABLE
RV V

SEC
3C

MM2
IEC227 53 0.75.-1.0



PLUG-EL-453


MEET STANDARD

PVC.PLUG EL.453 TYPE 2P;6.10A / 250V ACCORDING TO GB2099.1.1996 GB 1002.96

TYPE CABLE
RV V
RV V

SEC
2C
2C

MM2
IEC227 52 0.75.
IEC227 53 0.75.-1.0



PLUG-EL-602


MEET STANDARD

PVC.PLUG EL.602 TYPE 2P+E;6.10A / 250V ACCORDING TO GB2099.1.1996

TYPE CABLE
RV V

SEC
3C

MM2
IEC227 53 0.75.1.0





PLUG:EL-603

MEET STANDARD


PVC.PLUG EL.603 TYPE 2P+E;16A / 250V ACCORDING TO GB2099. 1.1996 GB1002



TYPE CABLE
RVV

SEC
3C

MM2
IEC227 52 1.5



PLUG:EL-705A

MEET STANDARD


PVC.PLUG EL-705A TYPE 2P+E;10A / 250V ACCORDING TO GB 17465



TYPE CABLE
RVV

SEC
3C

MM2
IEC22753 0.75-1.0





PLUG:EL-301

MEET STANDARD






PVC.PLUG EL-301 TYPE 2P+E 15A/125V ACCORDING TO UL817 AND CSA C22.2

TYPE CABLE
SJT

SEC
3C

MM2
14-12AWG



PLUG : EL-302

MEET STANDARD




PVC.PLUG EL-302 TYPE 2P+E 7-15A/125V ACCORDING TO UL817 AND CSA C.22.2 JIS C8303 CNS 10917

TYPE CABLE
SJT(SHIELD)
SVT(SHIELD)
ST SJTW
SJ SJO SJOW
SPT-1
SPT-2
SPT-3
HPN
VCTF
HVCTF

SEC
3C
3C
3C
3C
3C
3C
3C
3C
3C
3C

MM2
18-14 AWG
18-17 AWG
18-14 AWG
18-14 AWG
18 AWG
18-16 AWG
18-14 AWG
18-16 AWG
0.75-2.0
0.75-2.0



PLUG:EL-304

MEET STANDARD






PVC.PLUG EL-304 TYPE 2P+E;10-15A/125V ACCORDING TO UL 817 AND CSA C.22.2

TYPE CABLE
SJT

SEC
3C

MM2
14-12AWG






PLUG:EL-305

MEET STANDARD



PVC.PLUG EL-305 TYPE 2P+E;10-15A/125V ACCORDING TO UL 817 AND CSA C.22.2 JIS C8303

TYPE CABLE	SEC	MM2
SVT	3C	18-17 AWG
SJT SJTO SJTW	3C	18-14 AWG
VCTF	3C	0.75-2.0
HVCTF	3C	0.75-2.0




PLUG : EL-308

MEET STANDARD



PVC.PLUG EL-308 TYPE 2P+E;13-20A/125V ACCORDING TO UL 817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SJT	3C	16-12 AWG
SJTO	3C	16-12 AWG
SJTW	3C	16-12 AWG




PLUG : EL-309

MEET STANDARD



PVC.PLUG EL-309 TYPE 2P+E;10-15A/250V ACCORDING TO UL 817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SJT	3C	18-14 AWG
SJTO	3C	18-14 AWG
SJTW	3C	18-14 AWG






PLUG : EL-310

MEET STANDARD



PVC.PLUG EL-310 TYPE 2P+E;15-20A/250V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SJT	3C	14-12 AWG
SJTO	3C	14-12 AWG
SJTW	3C	14-12 AWG




PLUG : EL-311

MEET STANDARD



PVC.PLUG EL-309 TYPE 2P+E;10-15A/250V ACCORDING TO UL 817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SJT SJTO SJTW	3C	18-12 AWG
SJ SJO SJTW	3C	18-12 AWG




PLUG : EL-312

MEET STANDARD



PVC.PLUG EL.312 TYPE 2P+E;10-20A/250V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SJT SJTO SJTW	3C	18-12 AWG
SJ SJO SJTW	3C	18-12 AWG





MEET STANDARD

CUL

PVC.PLUG EL-313 TYPE 2P+E;10-20A/250V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE
SJT SJTO SJTW

SEC
4C

MM2
18-12 AWG

PLUG : EL-313



MEET STANDARD

CUL


PVC.PLUG EL-314 TYPE 2P;10-15A/125V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE
SJT SJTO SJTW

SEC
4C

MM2
18-12 AWG

PLUG : EL-314



MEET STANDARD




PVC.PLUG EL-315 TYPE 2P;10-15A/125V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE
SJT SJTO SJTW

SEC
3C

MM2
12-10 AWG

PLUG : EL-315





MEET STANDARD


PLUG: EL316 (NEMA L6-30P) APPROVAL: UL, CUL

TYPE CABLE
SJT SJTO SJTW SJTOW
SJ SJO SJOW

SEC
3C

MM2
10AWG

PLUG:EL-316



MEET STANDARD

PVC.PLUG EL-317 TYPE 2P;10A/125V ACCORDING TO UL817 AND CSA C.22.2


TYPE CABLE
SJT SJTO SJTW

SEC
3C

MM2
16-14 AWG

CUL

PLUG:EL-317



MEET STANDARD

PVC.PLUG EL-318 TYPE 2P;10-13A/125V ACCORDING TO UL817 AND CSA C.22.2


TYPE CABLE
SJT SJTO SJTW

SEC
3C

MM2
16-14 AWG

CUL

PLUG:EL-318






PLUG:EL-319

MEET STANDARD

CUL

PVC.PLUG EL-313 TYPE 2P+E;10-20A/250V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SJT	3C	10 AWG
SJTW	3C	10 AWG
SJTO	3C	10 AWG
SJTOW	3C	10 AWG
ST	3C	10 AWG
SRDT	3C	10 AWG




PLUG:EL-321

MEET STANDARD

CUL

PVC.PLUG EL-321 TYPE 2P;3-10A/125V ACCORDING TO UL 817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SJ	4C	10 AWG
SRDT	4C	10 AWG




PLUG:EL-401A

MEET STANDARD



PVC.PLUG EL-401A TYPE 2P;10-15A/125V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SVT	2C	18-17 AWG
SJT	2C	18-14 AWG
SJ	2C	18-14 AWG
SJOW	2C	14AWG





PLUG:EL-404

MEET STANDARD



PVC.PLUG EL-404 TYPE 2P;10-15A/125V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SVT	2C	18-17 AWG
SJT	C	18-14 AWG
SJ	2C	18-14 AWG
SJOW	2C	14AWG




PLUG:EL-410

MEET STANDARD



PVC.PLUG EL-410 TYPE 2P;10A/125V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SVT	2C	18AWG
SJT	2C	18AWG
SPT-1	2C	18AWG
SPT-2	2C	18AWG




PLUG:EL-413

MEET STANDARD



PVC.PLUG EL-413 TYPE 2P;10-13A/125V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SPT-1	3C	18AWG
SPT-2	3C	18AWG





PLUG: EL-451A

MEET STANDARD




PVC.PLUG EL-451A TYPE 2P;10-15A/125VACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE
 SPT-1
 SPT-2
 SPT-3
 N.I SPT-1
 N.I SPT-2
 HPN

SEC
 2C
 2C
 2C
 2C
 2C
 2C

MM2
 18AWG
 18-16AWG
 16AWG
 18AWG
 18-16AWG
 18-16AWG



PLUG: EL-451C

MEET STANDARD





PVC.PLUG EL-451C TYPE 2P;3-10A/125VACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE
 XT,XTW
 SPT-2

SEC
 2C
 2C

MM2
 20AWG
 18AWG



PLUG:EL-451D

MEET STANDARD






PVC.PLUG EL-451D TYPE 2P;10-15A/125VACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE
 SPT-1
 SPT-2
 SPT-3
 N.I.SPT-1
 N.I.SPT-2
 HPN

SEC
 2C
 2C
 2C
 2C
 2C
 2C

MM2
 18AWG
 18-16AWG
 16AWG
 18AWG
 18-16AWG
 18-16AWG






PLUG:EL-452

MEET STANDARD



PVC.PLUG EL-452 TYPE 2P;10-15A/125V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SPT-1	2C	18AWG
SPT-2	2C	18-16AWG
SPT-3	2C	16AWG
N.I SPT-1	2C	18AWG
N.I SPT-2	2C	18-16AWG
HPN	2C	18-16AWG



PLUG:EL-458

MEET STANDARD



PVC.PLUG EL-458 TYPE 2P;WITH FUSE 3-10A/125V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SPT-1	2C	18AWG
SPT-2	2C	18AWG
SPT-3	2C	18AWG
N.I.SPT-1	2C	18AWG
N.I.SPT-2	2C	18AWG
HPN	2C	18AWG




PLUG:EL-459

MEET STANDARD



PVC.PLUG EL-459 TYPE 2P;10A/125V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
N.I.SPT-1	2C	18AWG
N.I.SPT-2	2C	18AWG





PLUG:EL-601

MEET STANDARD



PVC.PLUG EL-.601 TYPE 2P+E;10-15A/125V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SVT	3C	18AWG
SJT	3C	18-14AWG
SPT-1	3C	18AWG
SPT-2	3C	18-16AWG
SPT-3	3C	18-14AWG




PLUG:EL-601A

MEET STANDARD



PVC.PLUG EL.601A TYPE 2P+E;7-15A / 125V ACCORDING TO UL817 AND CSA C.22.2 JIS C8303 CNS 10917

TYPE CABLE	SEC	MM2
SJT	3C	18-14 AWG
SJTW	3C	18-14 AWG
SPT-3	3C	18-14 AWG
VCTF	3C	0.75-1.25-2.0
HVCTF	3C	0.75-1.25-2.0




PLUG:EL-601B

MEET STANDARD



PVC.PLUG EL.601B TYPE 2P+E;7-15A / 125V ACCORDING TO UL817 AND CSA C.22.2 JIS C8303 CNS 10917

TYPE CABLE	SEC	MM2
SJT	3C	18-14 AWG
SJTW	3C	18-14 AWG
SPT-3	3C	18-14 AWG
VCTF	3C	0.75-1.25-2.0
HVCTF	3C	0.75-1.25-2.0






PLUG:EL-601C

MEET STANDARD



PVC.PLUG EL-601C TYPE 2P+E;7-15A / 125V ACCORDING TO UL817 AND CSA C.22.2 JIS C8303 CNS 10917

TYPE CABLE	SEC	MM2
SJT	3C	18-14 AWG
SJTW	3C	18-14 AWG
SPT-3	3C	18-14 AWG
VCTF	3C	0.75-1.25-2.0
HVCTF	3C	0.75-1.25-2.0




PLUG:EL-608

MEET STANDARD



PVC.PLUG EL-608 TYPE 2P+E;15-20A/125V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SJT	3C	14-12 AWG
SJTO	3C	14-12 AWG
SJTW	3C	14-12 AWG
SPT-3	3C	14-12 AWG




PLUG:EL-609

MEET STANDARD



PVC.PLUG EL-609 TYPE 2P+E;13-15A/250V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE	SEC	MM2
SJT	3C	16-14 AWG
SPT-3	3C	16-14 AWG





MEET STANDARD




PVC.PLUG EL-610 TYPE 2P+E;15-20A/250V ACCORDING TO UL817 AND CSA C.22.2

TYPE CABLE
SJT
SPT-3

SEC
3C
3C

MM2
14-12 AWG
14-12 AWG

PLUG:EL-610



MEET STANDARD




PVC.PLUG EL.724 TYPE 2P+E;13-20A/250V ACCORDING TO UL817 AND CSA C.22.2 N.42 JIS C8303

TYPE CABLE
SJT

SEC
3C

MM2
16-12 AWG

PLUG:EL-724



MEET STANDARD




PVC.PLUG EL-725 TYPE 2P+E;10A/250V ACCORDING TO IEC320 C14 UL817 CSA C22.2 N.42

TYPE CABLE
SVT
SJT
H05V V-F

SEC
3C
3C
3C

MM2
18 AWG
18 AWG
0.75-1.0

PLUG:EL-725



Japan



PLUG:EL-302

MEET STANDARD



PVC.PLUG EL-302 TYPE 2P+E;7-15A / 125V ACCORDING TO UL 817 AND CSA C.22.2 JIS C8303 CNS 10917

TYPE CABLE	SEC	MM2
SJT(SHIELD)	3C	18-14 AWG
SVT(SHIELD)	3C	18-17 AWG
ST SJTW	3C	18-14 AWG
SJ SJO SJOW	3C	18-14 AWG
SPT-1	3C	18 AWG
SPT-2	3C	18-16 AWG
SPT-3	3C	18-14 AWG
HPN	3C	18-16 AWG
VCTF	3C	0.75-2.0
HVCTF	3C	0.75-2.0




PLUG:EL-303

MEET STANDARD

(PS)E

PVC.PLUG EL-303 TYPE 2P+E;7-15A / 125V ACCORDING TO JAPAN JIS C8303

TYPE CABLE	SEC	MM2
VCT	3C	0.75 -1.25-2.0
VCTF	3C	0.75 -1.25-2.0
HVCT	3C	0.75 -1.25-2.0
HVCTF	3C	0.75 -1.25-2.0




PLUG:EL-305

MEET STANDARD



PVC.PLUG EL-305 TYPE 2P+E;7-15A / 125V ACCORDING TO JAPAN JIS C8303

TYPE CABLE	SEC	MM2
SVT	3C	18-17AWG
SJT SJTO SJTW	3C	18-14AWG
VCTF	3C	0.75-2.0
HVCTF	3C	0.75-2.0



Japan



PLUG:EL-403

MEET STANDARD

PVC.PLUG EL-403 TYPE 2P;7-15A / 125V ACCORDING TO JAPAN JIS C8303 CNS 10917



TYPE CABLE	SEC	MM2
HHFF	2C	0.75-1.25-2.0
NNFF	2C	0.75-1.25-2.0
VCTF	2C	0.75-1.25-2.0
HVCTF	2C	0.75-1.25-2.0
VCTFK	2C	0.75-1.25-2.0
HVCTFK	2C	0.75-1.25-2.0
VFF	2C	0.75-1.25-2.0
HVFF	2C	0.75-1.25-2.0




PLUG:EL-405

MEET STANDARD

PVC.PLUG EL-405 TYPE 2P;7-15A / 125V ACCORDING TO JAPAN JIS C8303



TYPE CABLE	SEC	MM2
VCT	2C	0.75-1.25-2.0
VCTF	2C	0.75-1.25-2.0
HVCT	2C	0.75-1.25-2.0
HVCTF	2C	0.75-1.25-2.0




PLUG:EL-406

MEET STANDARD

PVC.PLUG EL-406 TYPE 2P+E;7-15A / 125V ACCORDING TO JAPAN JIS C8303



TYPE CABLE	SEC	MM2
VCT	3C	0.75-1.25-2.0
VCTF	3C	0.75-1.25-2.0
HVCT	3C	0.75-1.25-2.0
HVCTF	3C	0.75-1.25-2.0



Japan



PLUG:EL-407

MEET STANDARD

PVC.PLUG EL-407 TYPE 2P;7-15A / 125V ACCORDING TO JAPAN JIS C8303 CNS 10917

TYPE CABLE	SEC	MM2
HFFF	2C	0.75-1.25-2.0
NNFF	2C	0.75-1.25-2.0
VCTF	2C	0.75-1.25-2.0
HVCTF	2C	0.75-1.25-2.0
VCT	2C	0.75-1.25-2.0
HVCT	2C	0.75-1.25-2.0
SPT-3	2C	0.75-1.25-2.0
HPN	2C	0.75-1.25-2.0
VCTF	2C	0.75-1.25-2.0
HVCTF	2C	0.75-1.25-2.0




PLUG:EL-407B

MEET STANDARD

PVC.PLUG EL-407B TYPE 2P+E;7-15A / 125V ACCORDING TO JAPAN JIS C8303

TYPE CABLE	SEC	MM2
VCTT	2C	0.75 -1.25
HVCTF	2C	0.75 -1.25




PLUG:EL-408

MEET STANDARD

PVC.PLUG EL-408 TYPE 2P;7-15A / 125V ACCORDING TO JAPAN JIS C8303

TYPE CABLE	SEC	MM2
HFFF	2C	0.75-1.0-2.0
NNFF	2C	0.75-1.0-2.0
VFF	2C	0.75-1.0-2.0
HVFF	2C	0.75-1.0-2.0
VCTFK	2C	0.75-1.0-2.0
HVCTFK	2C	0.75-1.0-2.0



Japan




PLUG:EL-409

MEET STANDARD

PVC.PLUG EL-409 TYPE 2P;7-15A / 125V ACCORDING TO JAPAN JIS C8303

⟨PS⟩B

TYPE CABLE	SEC	MM2
VCTF	2C	0.75-1.25-2.0
HVCTF	2C	0.75-1.25-2.0
VCT	2C	0.75-1.25-2.0
HVCT	2C	0.75-1.25-2.0



PLUG:EL-412

MEET STANDARD

PVC.PLUG EL-412 TYPE 2P;7-15A / 125V ACCORDING TO JAPAN JIS C8303

⟨PS⟩B

TYPE CABLE	SEC	MM2
HHFF	2C	0.75-1.25-2.0
NNFF	2C	0.75-1.25-2.0
VFF	2C	0.75-1.25-2.0
HVFF	2C	0.75-1.25-2.0
VCTFK	2C	0.75-1.25-2.0
HVCTFK	2C	0.75-1.25-2.0




PLUG:EL-414

MEET STANDARD

PVC.PLUG EL-414 TYPE 2P;7-15A / 125V ACCORDING TO JAPAN JIS C8303

⟨PS⟩B

TYPE CABLE	SEC	MM2
HHFF	2C	0.75-1.25-2.0
NNFF	2C	0.75-1.25-2.0
VFF	2C	0.75-1.25-2.0
HVFF	2C	0.75-1.25-2.0
VCTFK	2C	0.75-1.25-2.0
HVCTFK	2C	0.75-1.25-2.0



Japan




PLUG:EL-415

MEET STANDARD



PVC.PLUG EL-415 TYPE 2P;7-15A / 125V ACCORDING TO JAPAN JIS C8303 CNS 10917

TYPE CABLE	SEC	MM2
HHFF	2C	0.75-1.0-2.0
NNFF	2C	0.75-1.0-2.0
VFF	2C	0.75-1.0-2.0
HVFF	2C	0.75-1.0-2.0
VCTFK	2C	0.75-1.0-2.0
HVCTFK	2C	0.75-1.0-2.0




PLUG:EL-416

MEET STANDARD



PVC.PLUG EL-416 TYPE 2P+E;7-15A / 125V ACCORDING TO JAPAN JIS C8303

TYPE CABLE	SEC	MM2
VCT	3C	0.75 -1.25-2.0
VCTF	3C	0.75 -1.25-2.0
HVCT	3C	0.75 -1.25-2.0
HVCTF	3C	0.75 -1.25-2.0



PLUG:EL-421

MEET STANDARD



PVC.PLUG EL-421 TYPE 2P;7-15A / 125V ACCORDING TO JAPAN JIS C8303

TYPE CABLE	SEC	MM2
HHFF	2C	0.75-1.0-2.0
NNFF	2C	0.75-1.0-2.0
VCTFK	2C	0.75-1.0-2.0
HVCTFK	2C	0.75-1.0-2.0
VCTF	2C	0.75-1.0-2.0
HVCTF	2C	0.75-1.0-2.0

